

Prepared for and submitted to:

National Marine Fisheries Service
Office of Protected Resources

Prepared by:

Department of the Navy

In accordance with the Letters of Authorization
Under the MMPA and ITS authorization under
the ESA 31 August 2016

UNCLASSIFIED
2016 Annual
Atlantic Fleet Training and Testing (AFTT)
Exercise and Testing Report
14 November 2015 to 13 November 2016

13 FEBRUARY 2017
UNCLASSIFIED

TABLE OF CONTENTS

ANNUAL AFTT EXERCISE AND TESTING REPORT

| | |
|--------------------------------------------------------------------------------------------------------------------|----|
| INTRODUCTION..... | 3 |
| (1) AFTT – Major Training Exercises (MTE)/Sinking Exercises (SINKEX) | |
| (i) Exercise information (for each exercise)..... | 4 |
| (ii) Individual marine mammal sighting information for each sighting when mitigation occurred during each MTE..... | 5 |
| (iii) Evaluation (based on data gathered during all MTEs) of effectiveness | 8 |
| (iv) Exercise information for each SINKEX..... | 12 |
| (2) AFTT – Summary of Training Sources Used | |
| (i) Total annual usage of each type of sound source | 12 |
| (3) AFTT – Sonar Exercise Notification..... | 14 |
| (4) AFTT – Geographic Training Information Representation..... | 14 |
| (5) AFTT – Ship Shock Trial Report | 14 |
| (6) AFTT – Joint Logistics Over-the-Shore (JLOTS) Training Activities..... | 14 |
| (7) AFTT – Summary of Testing Sources Used | |
| (i) Total annual usage of each type of sound source | 14 |
| (8) AFTT – Geographic Testing Information Representation..... | 18 |

ATLANTIC FLEET TRAINING AND TESTING ANNUAL EXERCISE AND TESTING REPORT

INTRODUCTION

The U.S. Navy prepared this Annual Exercise and Testing Report covering the period from 14 November 2015 to 13 November 2016 in compliance with the National Marine Fisheries Service (NMFS) Final Rule, Letters of Authorization (LOA), and Incidental Take Statements under the Marine Mammal Protection Act (MMPA) and Endangered Species Act (ESA) authorizations for the U.S. Navy's Atlantic Fleet Training and Testing (AFTT) Study Area.

This report is submitted as a combined report to present an overview of all U.S. Navy training and testing activities within the AFTT Study Area from 14 November 2015 through 13 November 2016. Responsibility for the management of the two AFTT LOAs remains as identified in the permits.

In the AFTT Final Rule and Letters of Authorization,¹ the following report subsections were specified and are present within this report:

- (1) Major Training Exercises (MTE)/Sinking Exercises (SINKEX)
 - (i) Exercise Information (for each exercise)
 - (ii) Individual Marine Mammal Sighting Information for each sighting when mitigation occurred during each MTE
 - (iii) Evaluation (based on data gathered during all MTEs) of the effectiveness of mitigation measures designed to minimize the received level to which marine mammals may be exposed. This evaluation shall identify the specific observations that support any conclusions the Navy reaches about the effectiveness of the mitigation.
 - (iv) Exercise information for each SINKEX
- (2) Summary of Training Sources Used
 - (i) Total annual usage of each type of sound source
- (3) Sonar Exercise Notification
- (4) Geographic Training Information Representation
- (5) Ship Shock Trial Report
- (6) Joint Logistics Over-the-Shore (JLOTS) Training Activities
- (7) Summary of Testing Sources Used
 - (i) Total annual usage of each type of sound source
- (8) Geographic Testing Information Representation

The information in this report represents the best practical data collection for this period. To provide accounting for the entire five-year period of the authorization, Navy will also submit a 5-yr Close-out Exercise and Testing Report with final totals of authorized usage.

¹AFTT Requirements for Monitoring and Reporting, 50 CFR 218.85(f) (1) through (f) (4). The reporting requirements are also delineated in section 7(d) of the Training Letter of Authorization and section 7(d) of the Testing Letter of Authorization

(1) AFTT – Major Training Exercises/SINKEX

This section summarizes authorized sonar use and marine mammal observations from MTEs conducted within the AFTT Study Area during the reporting period. The AFTT MTEs include *Sustainment Exercises* (SUSTEX), *Integrated ASW Course* (IAC), *Joint Task Force Exercises* (JTFEX), and *Composite Training Unit Exercises* (C2X).

(i) Exercise information

Table 1-i-1. MTEs conducted in the AFTT Study Area

| (A) Exercise designator | (B) Date | (C) Locations | (D) Number of items or hours of each sound source bin used | | | | | | (E) Number and types of of vessels and aircraft participating | | | | | | | |
|-------------------------|----------------------|-----------------|------------------------------------------------------------|-------------|-------------|-------------|-------------|--------------|---------------------------------------------------------------|-----|-----|----------------------------|-------------------------|------------|------|----------------------|
| | | | MF1 (hours) | MF2 (hours) | MF3 (hours) | MF4 (hours) | MF5 (buoys) | ASW3 (hours) | CG | DDG | FFG | MH-60R/SH-60F dipping helo | SH-60B non-dipping helo | Submarines | MPRA | Non-ASW surface ship |
| C2X w/ IAC | 11 Mar – 12 Apr 2016 | VCOA/CPOA/JAXOA | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| C2X | 4 May – 26 May 2016 | VCOA/CPOA/JAXOA | * | * | * | * | * | * | * | * | * | * | * | * | * | * |
| IAC ¹ | 26 Sep – 16 Oct 2016 | VCOA | * | * | * | * | * | * | * | * | * | * | * | * | * | * |

VCOA=Virginia Capes Operating Area; CPOA=Cherry Point Operating Area; JAXOA=Jacksonville Operating Area

¹Task Force Exercise (TFEX) 16-2 was a Group Sail which included an IAC event

* Information is presented in the classified version of this report.

(ii) Individual marine mammal sighting information for each sighting when mitigation occurred during each MTE

Table 1-ii-1. AFTT MTE – Individual Marine Mammal Mitigation Sighting Information: C2X W/ IAC 11 Mar – 12 Apr 2016

| (A) Date/time/location of sighting | | | (B) Species | (C) Number of individuals | (D) Initial detection sensor | (E) Indication of specific type of platform the observation was made from | (F) Length of time observers maintained visual contact with marine mammal(s) (min) | (G) Sea state (Beaufort scale) | (H) Visibility (nm) | (I) Sound source in use at time of sighting (Y/N) | (J) Indication of whether animal is <200 yd, 200-500 yd, 500-1000 yd, 1000-2000 yd, or >2000 yd from sound source | (K) Mitigation implementation – whether operation of sonar sensor was delayed, or sonar was powered down or shutdown, and how long the delay was | (L) If source in use is hull-mounted sonar, relative bearing of animal from ship and estimation of animal’s motion relative to ship | (M) Observed behavior – Watchstanders shall report, in plain language and without trying to categorize in any way, the observed behavior of the animals, and if any calves are present |
|------------------------------------|----|-------|-------------|---------------------------|------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------|---------------------|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| nr | nr | JAXOA | generic | 1 | VIS | DDG | nr | nr | nr | N | nr | Maneuvered away | na | Sighted unspecified marine mammal and altered course |
| 13 Mar 16 | nr | JAXOA | whale | 1 | VIS | CG | 2 | 2 | 10 | N | 501-1000 | Maneuvered away | na | Whale opening ship |
| 13 Mar 16 | nr | JAXOA | whale | 1 | VIS | CG | 3 | 2 | 10 | N | 1001-2000 | Maneuvered away | na | Whale opening ship |
| 16 Mar 16 | nr | JAXOA | whale | 7 | VIS | CG | 6 | 3 | 10 | N | 200-500 | Maneuvered away | na | 5 whales opening and 2 closing ship |

nr=not reported; VIS=visual; N=no; na=not applicable; JAXOA=Jacksonville Operating Area

Table 1-ii-2. AFTT MTE – Individual Marine Mammal Mitigation Sighting Information: C2X 4 May – 26 May 2016

| (A) Date/time/location of sighting | (B) Species | (C) Number of individuals | (D) Initial detection sensor | (E) Indication of specific type of platform the observation was made from | (F) Length of time observers maintained visual contact with marine mammal(s) (min) | (G) Sea state (Beaufort scale) | (H) Visibility (nm) | (I) Sound source in use at time of sighting (Y/N) | (J) Indication of whether animal is <200 yd, 200-500 yd, 500-1000 yd, 1000-2000 yd, or >2000 yd from sound source | (K) Mitigation implementation – whether operation of sonar sensor was delayed, or sonar was powered down or shutdown, and how long the delay was | (L) If source in use is hull-mounted sonar, relative bearing of animal from ship and estimation of animal's motion relative to ship | (M) Observed behavior – Watchstanders shall report, in plain language and without trying to categorize in any way, the observed behavior of the animals, and if any calves are present |
|-------------------------------------------------------------|-------------|---------------------------|------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------|---------------------|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No marine mammal mitigations reported during this exercise. | | | | | | | | | | | | |

Table 1-ii-3. AFTT MTE – Individual Marine Mammal Mitigation Sighting Information: IAC 26 Sep – 16 Oct 2016

| (A) Date/time/location of sighting | | | (B) Species | (C) Number of individuals | (D) Initial detection sensor | (E) Indication of specific type of platform the observation was made from | (F) Length of time observers maintained visual contact with marine mammal(s) (min) | (G) Sea state (Beaufort scale) | (H) Visibility (nm) | (I) Sound source in use at time of sighting (Y/N) | (J) Indication of whether animal is <200 yd, 200-500 yd, 500-1000 yd, 1000-2000 yd, or >2000 yd from sound source | (K) Mitigation implementation – whether operation of sonar sensor was delayed, or sonar was powered down or shutdown, and how long the delay was | (L) If source in use is hull-mounted sonar, relative bearing of animal from ship and estimation of animal's motion relative to ship | (M) Observed behavior – Watchstanders shall report, in plain language and without trying to categorize in any way, the observed behavior of the animals, and if any calves are present |
|------------------------------------|-------|------|-------------|---------------------------|------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------|---------------------|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13 Oct 16 | 1400Z | VCOA | generic | 10 | VIS | DDG | 20 | 3 | 10 | N | 501-1000 | Maneuvered away | na | Paralleling, blowing |
| 13 Oct 16 | 2034Z | VCOA | whale | 4 | VIS | DDG | 5 | 2 | 10 | Y | 200-500 | Sonar shutdown | Whales bearing 267R, paralleling ship | Swimming forward to aft |

VIS=visual; Y=yes; N=no; na=not applicable; VCOA=Virginia Capes Operating Area

(iii) Evaluation (based on data gathered during all MTEs) of effectiveness

Between 14 November 2015 and 13 November 2016, there were a total of four major training exercises, including two C2X and two IAC.

Table 1-iii-1. AFTT MTEs and associated marine mammal and sea turtle mitigation sightings

| MTE Type | Month | # of Exercise Days | # of Ships Involved (MFAS and non-MFAS) | # of Mitigation Sightings | # of Animals |
|------------|----------------|--------------------|-----------------------------------------|---------------------------|--------------|
| C2X w/ IAC | Mar – Apr 2016 | 33 | 21 | 4 | 10 |
| C2X | May 2016 | 22 | 6 | 0 | 0 |
| IAC | Sep – Oct 2016 | 21 | 11 | 2 | 14 |
| | Total | 78 | 38 | 6 | 24 |

Mitigation Effectiveness Discussion

The three categories of mitigation measures (Personnel Training, Lookout and Watchstander Responsibility, and Operating Procedures) outlined in the AFTT EIS and approved by NMFS were effective in detecting and appropriately mitigating exposure of marine mammals and sea turtles to mid-frequency active sonar. Fleet commanders and ship watch teams continue to improve individual awareness and enhance reporting practices. These improvements can be attributed to the various pre-exercise conferences, mandatory marine species awareness training, and making adjustments based upon the lessons learned. The mitigation zones were adhered to, and vessels and aircraft applied mitigation measures when marine mammals or sea turtles were visually observed within the requisite zones.

There was only 1 sighting of marine mammals during all AFTT MTEs occurring at ranges less than 1,000 yards during which active sonar was in use. This single sighting was of 4 whales. (Table 1-iii-2).


Table 1-iii-2. Breakdown of marine mammals and sea turtles sighted in the AFTT Study Area during MTEs at ranges less than 1000 yards concurrent with active sonar use

| Range | < 200 yards | 200 – 500 yards | 500 – 1000 yards |
|----------------------|-------------|-----------------|------------------|
| Dolphins | 0 | 0 | 0 |
| Whales | 0 | 4 | 0 |
| Pinnipeds | 0 | 0 | 0 |
| Turtles | 0 | 0 | 0 |
| Total marine animals | 0 | 4 | 0 |

For AFTT MTEs, there was 1 mitigation event when sonar was shut off or powered down during ASW training. Active sonar was secured due to marine animals observed within the mitigation zone.

Figure 1-iii-1 depicts the reported ranges of all marine mammal and sea turtle sightings (with and without active sonar) from each of the four MTEs within the AFTT Study Area. The number of sightings is variable by strike group, exercise type, and sea state at the time of the MTE.

Figure 1-iii-1. Marine mammal and sea turtle mitigation sightings by range and MTE in the AFTT Study Area



Deep diving animals were not observed during any of the MTEs. If exposure did occur, Navy assesses that these animals would not be exposed to significant levels for long periods based on the moving nature of ships during active sonar use, and even less so from less frequent and lower power aviation deployed active sonar systems such as dipping sonar and sonobuoys. For instance, during a one hour dive by a beaked whale or sperm whale, a ship moving at a nominal 10 knot speed could transit about 10 nm from its original location, well beyond ranges predicted to have significant exposures (**Table 1-iii-3**).

Table 1-iii-3 contains a list of all mitigation events where sonar was on and the observed range was less than 1000 yards. It should be noted that with or without mitigation, given the relative motion of ships maneuvering at-sea and the independent marine animal movement, the time any given animal would be exposed to active sonar from surface ships is likely to be limited as shown by the distances calculated in **Table 1-iii-3** Column 13.

Table 1-iii-3. Sightings where sonar was on during detection of marine animals at ranges less than 1000 yards and mitigation occurred

| 1) OpArea (JAXOA, CPOA, VCOA) | 2) MTE | 3) Month | 4) Species sighted | 5) # of marine mammals sighted | 6) Platform | 7) Length of time observed (min) | 8) Range at which marine mammal sighted | 9) Mitigation (Sonar powerdown, Sonar shutdown) | 10) Estimate MAX exposure PRIOR to mitigation (dB re 1uPa) ¹ | 11) Number of minutes sonar mitigation applied | 12) Estimate exposure AFTER mitigation (dB re 1uPa) ¹ | 13) DISTANCE ship would have moved given length of mitigation and nominal 10-knot ship speed (yds) | 14) If source in use is hull-mounted sonar, relative bearing of animal from ship and estimation of animal's motion relative to ship | 15) Observed behavior |
|-------------------------------|--------|----------|--------------------|--------------------------------|-------------|----------------------------------|-----------------------------------------|-------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| VCOA | IAC | Oct | whale | 4 | DDG | 5 | 200-500 | Sonar shutdown | <181-189 | 10 | None | 3,333 | Whales bearing 267R, paralleling ship | Swimming forward to aft |

Notes:

¹ Estimated exposure based on 20Log[R] spherical spreading propagation loss for ranges less than 1000 yards and where nominal active sonar Source Level (SL) assumed to be 235 dB for DDGs and 225 for FFGs. Actual operating parameters and oceanographic condition likely result is lower exposure. This calculation assumes exposure prior to mitigation. Once animal was spotted at the range indicated, applied mitigation would have resulted in much lower to no exposures.

Exposure Assessment

Estimated exposures within 2000 yards can be determined based on standard formulas of how sound propagates in water. Spherical spreading is generally valid within 1000 yards from the sound source, and can be expressed as spreading loss (in dB from a source) equals $20\log R$ (with “R” being range from the source in yards). Spherical spreading loss in the first 1000 yards equates to 60 dB of loss. At ranges between 1000 and 2000 yards a portion of the sound waves can become trapped in a surface duct or by the sea surface and bottom (depending on depth of the sound transmission) and may not expand vertically. The spreading wave in this case then forms an expanding cylinder. Cylindrical spreading loss in dB between two points can be calculated by using the formula $(10\log R_2/R_1)$, with “R2” being the longer range, and “R1” being 1000 yards. Cylindrical spreading loss between 1000 and 2000 yards equates to an additional 3 dB of loss. For this assessment Navy assumes the most conservative case where all the sound between 1000 and 2000 yards is trapped. Therefore, by the time the wave has propagated to 2000 yards, the sonar signal strength has decreased by a minimum total of 63 dB. Using the AN/SQS-53 sonar as an example, transmitting at 235 dB and subtracting the 63 dB of spreading loss equates to an estimated sonar Receive Level (RL) of 172 dB at 2000 yards. The spreading loss formulas are used to make very conservative assumptions about potential exposure. The formula is an estimation of spreading losses only and does not take into account other factors that could increase the total propagation losses such as oceanographic conditions, attenuation losses, scattering losses, and Navy-unique MFAS operating parameters which would result in slightly lower sonar transmit levels. Use of this approach to estimate potential RL at any given animal assumes the horizontal range from a visual sighting accounts for an animal across all depths at which an animal travels to predict the maximum, worst case potential exposure. In other words, this estimated worst case exposure is presented independent of the animal’s actual depth level, since a) time and depth of current and previous dives cannot be deduced from a limited surface sighting, and b) oceanographic and tactical conditions influence actual sound propagation at different depths. Given the relative motion of ships and animals at sea, the time spent with any given exposure from surface ships is likely to be limited.

Passive sonar is an acoustic device used for listening to underwater sound and does not involve transmitting sound into the water column. Passive sonar use is driven by the tactical nature of an ASW exercise or training event, and is employed whenever possible. Given the nature of passive sonar technology and underwater sound propagation, determining range and absolute position of a marine animal is exceedingly difficult and generally not possible with any single ship-based passive sonar. Skilled operators or unique circumstances may sometimes allow real-time or near-real time estimations of range to a vocalizing marine animal at the expense of interrupting the ship’s ASW training at the time. Active sonar, on the other hand, is critical in providing range and bearing to potential underwater submarines and mines. In addition, passive sonar can only detect marine animals that are vocalizing (i.e., making underwater sound as part of communication and echolocation). Marine animal vocalization is based on individual needs at a particular moment, species-level foraging, and mating strategies, and other oceanographic or biological factors. For instance, for some species, it is believed only males typically vocalize (ex. humpback whales, blue whales, fin whales, and minke whales). Depending on oceanographic conditions and animal source levels, when marine animals do vocalize, sounds can easily travel one to several tens of kilometers (km) (0.5 nautical mile (nm) to tens of nm) for some mid-to-low frequency animals, and tens to hundreds of km for very low frequency baleen whales (i.e., blue and fin whales). These ranges demonstrate that even if the marine animal vocalization can be detected, it does not mean the animal is necessarily close to the passive sonar sensor. Determining when or if a marine animal is within a mitigation zone by passive acoustic detection is not normally technically feasible.

There is no information from which to assess how many, if any, animals not observed by Navy lookouts may or may not have been exposed to MFAS received levels equal to or greater than the exposure criteria set forth by NMFS. However, many of the ESA-listed species in AFTT Study Area, with the exception of perhaps the sperm whale, are easier to spot on the surface due to shorter dive times and larger animal size (humpback whale, fin whale, sei whale). Dolphins, the most common cetacean seen in AFTT Study Area often occur in large, visible pods. Beaked whales are acknowledged to be difficult to observe at-sea due to deep diving profiles and short surface intervals. Sea turtles are also acknowledged to be difficult to observe at-sea due to their size and that they typically swim beneath the ocean surface and have short surface intervals. For all marine mammal and sea turtle sightings made by Navy platforms during AFTT MTEs (Tables 1-iii-1, 1-iii-2, 1-iii-3 and Figure 1-iii-1), there was no obvious indication or report that any animal behaved in a manner not associated with normal movement.

(iv) Exercise Information for Each SINKEX

No SINKEXs were conducted in the AFTT Study Area during the reporting period.

(2) AFTT – Summary of Training Sources Used**(i) Total annual usage of each type of sound source**

(U) This section summarizes total annual usage of each type of sound source used for training within AFTT Study Area from 14 November 2015 to 13 November 2016, as well as cumulative usage over the 5-year authorization.

Table 2-i-1. Annual training sound source usage within the AFTT Study Area by source BIN

| Authorized sound sources 50 CFR §218.80 (c) and NMFS AFTT LOA | | Authorized Amount (14Nov15- 13Nov16) | Actual Usage (14Nov15- 13Nov16) | % Used of Authorized Amount |
|------------------------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------|---------------------------------------|-----------------------------------|
| (1) Active Acoustic Sources Used During Annual Training | | | | |
| MF1 | Hull-mounted sonars (e.g. AN/SQS-53) | 9,844 hours | * | * |
| MF1K | Hull-mounted sonar Kingfisher mode | 163 hours | * | * |
| MF2 | Hull-mounted sonars (e.g. AN/SQS-56) | 3,150 hours | * | * |
| MF2K | Hull-mounted sonar Kingfisher mode | 61 hours | * | * |
| MF3 | Hull-mounted submarine sonar (e.g. AN/BQQ-10) | 2,058 hours | * | * |
| MF4 | Helicopter dipping sonar (e.g. AN/AQS-22) | 927 hours | * | * |
| MF5 | Acoustic sonobuoys (e.g. AN/SSQ-62) | 14,556 buoys | * | * |
| MF11 | High duty cycle hull-mounted sonars (e.g. AN/SQS-53 HDC) | 800 hours | * | * |
| MF12 | High duty cycle towed array sonars (e.g. HDC-VDS) | 687 hours | * | * |
| HF1 | Hull-mounted submarine sonar (e.g. AN/BQQ-10) | 1,676 hours | * | * |
| HF4 | Mine detection / classification sonars | 8,464 hours | * | * |
| ASW1 | Mid-frequency Deep Water Active Distributed System (DWADS) | 128 hours | * | * |
| ASW2 | Mid-frequency Multi-static Active Coherent sonobuoy (e.g. AN/SSQ-125) | 2,620 buoys | * | * |
| ASW3 | Mid-frequency towed acoustic countermeasure (e.g. AN/SLQ-25) | 13,586 hours | * | * |
| ASW4 | Mid-frequency expendable acoustic device countermeasure (e.g. ADC/NAE) | 1,365 devices | * | * |
| TORP1 | Lightweight torpedo (e.g. MK 54/MK 46) | 54 torpedoes | * | * |
| TORP2 | Heavyweight torpedo (e.g. MK 48) | 80 torpedoes | * | * |
| (2) Explosive Sources Used During Annual Training | | | | |
| E1 | Medium-caliber projectiles | 124,552 detonations | 0 detonations | 0% |
| E2 | Medium-caliber projectiles | 856 detonations | 0 detonations | 0% |
| E3 | Large-caliber projectiles | 3,132 detonations | 0 detonations | 0% |
| E4 | 5 lb. shaped charge | 2,190 detonations | 3 detonations | <1% |
| E5 | 5-inch projectiles | 14,370 detonations | 115 detonations | <1% |
| E6 | 15 lb. shaped charge | 500 detonations | 38 detonations | 8% |
| E7 | 40 lb. demo block / shaped charge | 322 detonations | 0 detonations | 0% |
| E8 | 250 lb. bomb | 77 detonations | 0 detonations | 0% |

| | | | | |
|-------------------------------------------------------------|--------------------------------------|-----------------|----------------|----|
| E9 | 500 lb. bomb | 2 detonations | 0 detonations | 0% |
| E10 | 1,000 lb. bomb | 8 detonations | 0 detonations | 0% |
| E11 | 650 lb. mine | 1 detonation | 0 detonations | 0% |
| E12 | 2,000 lb. bomb | 133 detonations | 12 detonations | 9% |
| (3) Active Acoustic Sources Used During Non-Annual Training | | | | |
| HF4 | Mine detection/classification sonars | 192 hours | * | * |
| (4) Explosives Sources Used During Non-Annual Training | | | | |
| E2 | Medium-caliber projectiles | 2 detonations | 0 detonations | 0% |
| E4 | 5 lb. shaped charge | 2 detonations | 0 detonations | 0% |

* Information is presented in the classified version of this report.

Table 2-i-2. 5-year cumulative training sound source usage within the AFTT Study Area by source BIN

| Sound Source Bin | Year 1 Actual Usage (14Nov13-13Nov14) | Year 2 Actual Usage (14Nov14-13Nov15) | Year 3 Actual Usage (14Nov15-13Nov16) | 5-yr Authorized Amount (14Nov13-13Nov18) | 5-yr Cumulative Actual Usage (14Nov13-13Nov18) | % Used of 5-yr Authorized Amount |
|---------------------------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|------------------------------------------|------------------------------------------------|----------------------------------|
| (1) Active Acoustic Sources Used During Annual Training | | | | | | |
| MF1 | * | * | * | 49,220 hours | * | * |
| MF1K | * | * | * | 815 hours | * | * |
| MF2 | * | * | * | 15,750 hours | * | * |
| MF2K | * | * | * | 305 hours | * | * |
| MF3 | * | * | * | 10,290 hours | * | * |
| MF4 | * | * | * | 4,635 hours | * | * |
| MF5 | * | * | * | 72,780 buoys | * | * |
| MF11 | * | * | * | 4,000 hours | * | * |
| MF12 | * | * | * | 3,435 hours | * | * |
| HF1 | * | * | * | 8,380 hours | * | * |
| HF4 | * | * | * | 42,320 hours | * | * |
| ASW1 | * | * | * | 640 hours | * | * |
| ASW2 | * | * | * | 13,100 buoys | * | * |
| ASW3 | * | * | * | 67,930 hours | * | * |
| ASW4 | * | * | * | 6,825 devices | * | * |
| TORP1 | * | * | * | 270 torpedoes | * | * |
| TORP2 | * | * | * | 400 torpedoes | * | * |
| (2) Explosive Sources Used During Annual Training | | | | | | |
| E1 | 55 | 35 | 0 | 622,760 detonations | 90 | <1% |
| E2 | 0 | 0 | 0 | 4,280 detonations | 0 | 0% |
| E3 | 0 | 1 | 0 | 15,660 detonations | 1 | <1% |
| E4 | 16 | 14 | 3 | 10,950 detonations | 33 | <1% |
| E5 | 115 | 93 | 115 | 71,850 detonations | 323 | <1% |
| E6 | 25 | 35 | 38 | 2,500 detonations | 98 | 4% |
| E7 | 0 | 0 | 0 | 1,610 detonations | 0 | 0% |
| E8 | 6 | 2 | 0 | 385 detonations | 8 | 2% |
| E9 | 0 | 0 | 0 | 10 detonations | 0 | 0% |

| | | | | | | |
|--------------------------------------------------------------------|----|----|----|-----------------|----|-----|
| E10 | 2 | 0 | 0 | 40 detonations | 2 | 5% |
| E11 | 0 | 0 | 0 | 5 detonations | 0 | 0% |
| E12 | 28 | 50 | 12 | 665 detonations | 90 | 14% |
| (3) Active Acoustic Sources Used During Non-Annual Training | | | | | | |
| HF4 | * | * | * | 960 hours | * | * |
| (4) Explosives Sources Used During Non-Annual Training | | | | | | |
| E2 | 0 | 0 | 0 | 10 detonations | 0 | 0% |
| E4 | 0 | 0 | 0 | 10 detonations | 0 | 0% |

* Information is presented in the classified version of this report.

(3) AFTT – Sonar Exercise Notification

The Navy submitted all required information to NMFS for all MTEs during the reporting period, including location of the exercise, beginning and end dates of the exercise, and type of exercise.

(4) AFTT – Geographic Training Information Representation

The precise locations and frequency of ASW training is classified. There is currently no method to declassify the sensitivity of this data in order to publish this type of information in an unclassified report. For this reason the only available method for this information to be disseminated for the foreseeable future is in the classified version of this Annual Exercise Report.

(5) AFTT – Ship Shock Trial Report

There were two Full Ship Shock Trials (FSST) conducted in 2016 in the Jacksonville Operating Area ship shock trial box in support of Littoral Combat Ships (LCS). Three ship shock detonation events for LCS-6 were completed on 10 June, 23 June and 16 July 2016. The ship shock detonation event on 16 July was delayed for an hour and half due to a pod of Atlantic Spotted Dolphins that were observed near the explosives vessel. Two ship shock detonation events for LCS-5 were completed on 4 September and 21 September 2016. For both FSSTs, there were no instances of marine mammals or sea turtles observed within the mitigation zone during the actual ship shock detonation events. Post-FSST aerial and surface surveys were conducted for all FSST ship shock detonation events, and there were no stressed or injured marine mammals sighted. Two comprehensive after action reports will be submitted in accordance with the requirements of the Final Rule and the Letter of Authorization.

(6) AFTT – Joint Logistics Over-the-Shore (JLOTS) Training Activities

Pile driving was conducted from 17 April to 8 May 2016 with vibratory removal from 20 May to 10 June 2016 at Joint Expeditionary Base Little Creek-Fort Story during Elevated causeway System (ELCAS) 2016. Pile driving activity was only halted once for marine mammals entering the mitigation zone.

(7) AFTT – Summary of Testing Sound Sources

(i) Total annual usage of each type of sound source

This section summarizes total annual usage of each type of sound source used for testing within AFTT Study Area from 14 November 2015 to 13 November 2016, as well as cumulative usage over the 5-year authorization.

Table 7-i-1. Annual testing sound source usage within the AFTT Study Area by source BIN

| Authorized sound sources 50 CFR §218.80 (c) and NMFS AFTT LOA | | Authorized Amount (14Nov15- 13Nov16) | Actual Usage (14Nov15- 13Nov16) | % Used of Authorized Amount |
|------------------------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------|---------------------------------------|-----------------------------------|
| (1) Active Acoustic Sources Used During Annual Testing | | | | |
| LF4 | Low-frequency sources from 180 dB up to 200 dB | 254 hours | * | * |
| LF5 | Low-frequency sources from 160 dB up to 180 dB | 370 hours | * | * |
| MF1 | Hull-mounted sonars (e.g. AN/SQS-53) | 220 hours | * | * |
| MF1K | Hull-mounted sonar Kingfisher mode | 19 hours | * | * |
| MF2 | Hull-mounted sonars (e.g. AN/SQS-56) | 36 hours | * | * |
| MF3 | Hull-mounted submarine sonar (e.g. AN/BQQ-10) | 434 hours | * | * |
| MF4 | Helicopter dipping sonar (e.g. AN/AQS-22) | 776 hours | * | * |
| MF5 | Acoustic sonobuoys (e.g. AN/SSQ-62) | 4,184 buoys | * | * |
| MF6 | Active underwater sound signal devices (e.g. MK 84 SUS) | 303 items | * | * |
| MF8 | Other active sources greater than 200 dB | 90 hours | * | * |
| MF9 | Other active sources from 180 dB up to 200 dB | 13,034 hours | * | * |
| MF10 | Other active sources from 160 dB up to 180 dB | 1,067 hours | * | * |
| MF12 | High duty cycle towed array sonars (e.g. HDC-VDS) | 144 hours | * | * |
| HF1 | Hull-mounted submarine sonar (e.g. AN/BQQ-10) | 1,243 hours | * | * |
| HF3 | Other hull-mounted submarine sonars | 384 hours | * | * |
| HF4 | Mine detection / classification sonars | 5,572 hours | * | * |
| HF5 | Other active sources greater than 200 dB | 1,206 hours | * | * |
| HF6 | Other active sources from 180 dB up to 200 dB | 1,974 hours | * | * |
| HF7 | Other active sources from 160 dB up to 180 dB | 366 hours | * | * |
| ASW1 | Mid-frequency Deep Water Active Distributed System (DWADS) | 96 hours | * | * |
| ASW2 | Mid-frequency Multi-static Active Coherent sonobuoy (e.g. AN/SSQ-125) | 2,743 buoys | * | * |
| ASW2 | Mid-frequency Multi-static Active Coherent sonobuoy (e.g. AN/SSQ-125) | 274 hours | * | * |
| ASW3 | Mid-frequency towed acoustic countermeasure (e.g. AN/SLQ-25) | 948 hours | * | * |
| ASW4 | Mid-frequency expendable acoustic device countermeasure (e.g. ADC/NAE) | 483 devices | * | * |
| TORP1 | Lightweight torpedo (e.g. MK 54/MK 46) | 581 torpedoes | * | * |
| TORP2 | Heavyweight torpedo (e.g. MK 48) | 521 torpedoes | * | * |
| M3 | Mid-frequency acoustic modems | 461 hours | * | * |
| SD1/SD2 | Swimmer detection sonars | 230 hours | * | * |
| FLS2/FLS3 | Forward Looking Sonar systems | 365 hours | * | * |
| SAS1 | Mid-frequency SAS systems | 6 hours | * | * |
| SAS2 | High-frequency SAS systems | 3,424 hours | * | * |
| (2) Explosive Sources Used During Annual Testing | | | | |
| E1 | Medium-caliber projectiles | 25,501 detonations | 0 detonations | 0% |
| E2 | Medium-caliber projectiles | 0 detonations | - | - |
| E3 | Large-caliber projectiles | 2,912 detonations | 0 detonations | 0% |

| | | | | |
|-------------------------------------------------------------------|------------------------------------------------|-------------------|----------------|-----|
| E4 | 5 lb. shaped charge | 1,432 detonations | 0 detonations | 0% |
| E5 | 5-inch projectiles | 495 detonations | 0 detonations | 0% |
| E6 | 15 lb. shaped charge | 54 detonations | 12 detonations | 23% |
| E7 | 40 lb. demo block / shaped charge | 0 detonations | - | - |
| E8 | 250 lb. bomb | 11 detonations | 0 detonations | 0% |
| E9 | 500 lb. bomb | 0 detonations | - | - |
| E10 | 1,000 lb. bomb | 10 detonations | 0 detonations | 0% |
| E11 | 650 lb. mine | 27 detonations | 0 detonations | 0% |
| E12 | 2,000 lb. bomb | 0 detonations | - | - |
| E13 | 1,200 lb. HBX | 0 detonations | - | - |
| E14 | 2,500 lb. HBX | 4 detonations | 0 detonations | 0% |
| (3) Active Acoustic Sources Used During Non-Annual Testing | | | | |
| LF5 | Low-frequency sources from 160 dB up to 180 dB | 240 hours | * | * |
| MF9 | Other active sources from 180 dB up to 200 dB | 480 hours | * | * |
| HF5 | Other active sources greater than 200 dB | 240 hours | * | * |
| HF6 | Other active sources from 180 dB up to 200 dB | 720 hours | * | * |
| HF7 | Other active sources from 160 dB up to 180 dB | 240 hours | * | * |
| FLS2/FLS3 | Forward Looking Sonar systems | 240 hours | * | * |
| SAS2 | High-frequency SAS systems | 720 hours | * | * |
| (4) Explosive Sources Used During Non-Annual Testing | | | | |
| E1 | Medium-caliber projectiles | 600 detonations | 0 detonations | 0% |
| E16 | 10,000 lb. HBX | 12 detonations | 5 detonations | 42% |
| E17 | 40,000 lb. HBX | 4 detonations | 0 detonations | 0% |

* Information is presented in the classified version of this report.

Table 7-i-2. 5-year cumulative testing sound source usage within the AFTT Study Area by source BIN

| Sound Source Bin | Year 1 Actual Usage (14Nov13-13Nov14) | Year 2 Actual Usage (14Nov14-13Nov15) | Year 3 Actual Usage (14Nov15-13Nov16) | 5-yr Authorized Amount (14Nov13-13Nov18) | 5-yr Cumulative Actual Usage (14Nov13-13Nov18) | % Used of 5-yr Authorized Amount |
|---------------------------------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|------------------------------------------|------------------------------------------------|----------------------------------|
| (1) Active Acoustic Sources Used During Annual Testing | | | | | | |
| LF4 | * | * | * | 1,270 hours | * | * |
| LF5 | * | * | * | 1,850 hours | * | * |
| MF1 | * | * | * | 1,100 hours | * | * |
| MF1K | * | * | * | 95 hours | * | * |
| MF2 | * | * | * | 180 hours | * | * |
| MF3 | * | * | * | 2,170 hours | * | * |
| MF4 | * | * | * | 3,880 hours | * | * |
| MF5 | * | * | * | 20,920 buoys | * | * |
| MF6 | * | * | * | 1,515 items | * | * |
| MF8 | * | * | * | 450 hours | * | * |
| MF9 | * | * | * | 65,170 hours | * | * |
| MF10 | * | * | * | 5,335 hours | * | * |
| MF12 | * | * | * | 720 hours | * | * |

| | | | | | | |
|-------------------------------------------------------------------|----|---|----|---------------------|----|-----|
| HF1 | * | * | * | 6,215 hours | * | * |
| HF3 | * | * | * | 1,920 hours | * | * |
| HF4 | * | * | * | 27,860 hours | * | * |
| HF5 | * | * | * | 6,030 hours | * | * |
| HF6 | * | * | * | 9,870 hours | * | * |
| HF7 | * | * | * | 1,830 hours | * | * |
| ASW1 | * | * | * | 480 hours | * | * |
| ASW2 | * | * | * | 13,715 buoys | * | * |
| ASW2 | * | * | * | 1,370 hours | * | * |
| ASW3 | * | * | * | 4,740 hours | * | * |
| ASW4 | * | * | * | 2,415 devices | * | * |
| TORP1 | * | * | * | 2,905 torpedoes | * | * |
| TORP2 | * | * | * | 2,605 torpedoes | * | * |
| M3 | * | * | * | 2,305 hours | * | * |
| SD1/SD2 | * | * | * | 1,150 hours | * | * |
| FLS2/FLS3 | * | * | * | 1,825 hours | * | * |
| SAS1 | * | * | * | 30 hours | * | * |
| SAS2 | * | * | * | 17,120 hours | * | * |
| (2) Explosive Sources Used During Annual Testing | | | | | | |
| E1 | 0 | 0 | 0 | 127,505 detonations | 0 | 0% |
| E2 | - | - | - | 0 detonations | - | - |
| E3 | 0 | 0 | 0 | 14,560 detonations | 0 | 0% |
| E4 | 12 | 0 | 0 | 7,160 detonations | 12 | <1% |
| E5 | 5 | 0 | 0 | 2,475 detonations | 5 | <1% |
| E6 | 0 | 8 | 12 | 270 detonations | 20 | <1% |
| E7 | - | - | - | 0 detonations | - | - |
| E8 | 0 | 0 | 0 | 55 detonations | 0 | 0% |
| E9 | - | - | - | 0 detonations | - | - |
| E10 | 0 | 0 | 0 | 50 detonations | 0 | 0% |
| E11 | 0 | 0 | 0 | 135 detonations | 0 | 0% |
| E12 | - | - | - | 0 detonations | - | - |
| E13 | - | - | - | 0 detonations | - | - |
| E14 | 0 | 0 | 0 | 20 detonations | 0 | 0% |
| (3) Active Acoustic Sources Used During Non-Annual Testing | | | | | | |
| LF5 | * | * | * | 1,200 hours | * | * |
| MF9 | * | * | * | 2,400 hours | * | * |
| HF5 | * | * | * | 1,200 hours | * | * |
| HF6 | * | * | * | 3,600 hours | * | * |
| HF7 | * | * | * | 1,200 hours | * | * |
| FLS2/FLS3 | * | * | * | 1,200 hours | * | * |
| SAS2 | * | * | * | 3,600 hours | * | * |
| (4) Explosive Sources Used During Non-Annual Testing | | | | | | |
| E1 | 0 | 0 | 0 | 3,000 detonations | 0 | 0% |

| | | | | | | |
|-----|---|---|---|----------------|---|----|
| E16 | 0 | 0 | 5 | 60 detonations | 5 | 8% |
| E17 | 0 | 0 | 0 | 20 detonations | 0 | 0% |

* Information is presented in the classified version of this report.

(8) AFTT – Geographic Testing Information Representation

The precise locations and frequency of ASW testing is classified. There is currently no method to declassify the sensitivity of this data in order to publish this type of information in an unclassified report. For this reason the only available method for this information to be disseminated for the foreseeable future is in the classified version of this Annual Testing Report.

This page intentionally left blank.